

Index

- aberration analysis, 145
- absorption, 123
- achromatic point-symmetric interferometer, 261
- active control, 287
- active optics, 282, 290
- adaptive optics, 282, 290
- Airy diffraction pattern, 177, 226
- Airy ring, 177
- Alhacen, 2
- Alpha Aquilae, 227
- Alpha Canis Majoris, 227
- Alpha Centauri, 412
- amplitude interferometry, 267
- analytic signal, 229
- angular magnification, 43
- apodization, 206–207, 409, 414
- Archimedes, 2
- area–solid-angle product, 106
- array-of-points aperture, 194
- artificial guide stars, 251
- astigmatism and field curvature, 66, 72
- astrometric interferometry, 385
- astrometry, 382, 384, 395
- astronomical magnitudes, 129
- astronomy, 382
- athermalization, 284, 286
- atmospheric turbulence, 135
- autocorrelation theorem, 192

- Babylonians, 1
- baffling, 109
- Ball Aerospace, 202
- baseline, 385
- Bessel function, 177
- Betelgeuse (α Ori), 248, 249
- binary optics, 210
- blackbody, 117
- Born and Wolf, 159
- Breckinridge, James, 228, 379
- Breckinridge interferometer, 244, 266

- Cassegrain telescope, 161, 284, 336
- Cerro Paranal, 394
- Chandra space telescope, 14
- CHARA, 391–393
- CHARA interferometer, 390
- Chipman, Russell, 164
- chromatic aberration, 53, 65
- chromatic anisoplanatism, 254
- circ function, 189
- circular aperture, 193
- circular polarization, 148
- circular polarization, left-handed, 148
- circular polarization, right-handed, 148
- CO₂ laser local oscillator, 393
- coatings, 387
- CODE V, 82
- coherence, 172, 227
- coherence interferometer, 244, 256, 358
- collinear transformation, 30
- colored body, 119
- coma, 66, 76, 92
- comb function, 188
- complex amplitude, 172
- compound reflections, 162
- computer-generated hologram (CGH), 210
- conic sections, 54
- concave mirror, 68
- concave-grating spectrometer, 216
- convolution, 368
- convolution theorem, 192
- Copernicus, Nicolas, 1
- Cornwell and McAlister, 385–386
- coronagraph, 405, 407
- COSTAR, 202, 299
- cross-correlation, 232
- cumulative wavefront error (WFE), 208
- curvature of the medial surface, 97

- curvature of the Petzval surface, 97
 curvature of the sagittal surface, 97
 curvature of the tangential surface, 97
 curvature sensing, 298
 Darwin spacecraft, 373
 deconvolution, 368
 defocus, 61, 69
 deformable mirror (DM), 311
 delta function, 188
 depth of focus, 71
 detector full well, 364
 detectors, 386
 dielectric, 48
 dielectric materials, 20
 dielectric overcoat, 161
 dielectrics and metals, 158
 diffraction, 145, 227
 diffraction gratings, 172, 210, 213
 dilution factor, 361
 direct-vision spectroscopy, 25
 distortion, 66, 81, 90, 93
 diversity phase, 302
 Doppler, 396
 double-star astronomy, 255
 dynamic range, 386
 Eddington, Arthur, 248
 Egyptology, 225
 electromagnetic wave, 145
 Elliott and Glass, 379
 elliptical polarization, 148
 emissivity, 123
 encircled energy, 195, 208, 334
 entrance pupil, 29–30
 Eratosthenes of Cyrene, 1
 ESO Very Large Telescope Interferometer (VLTI), 394
 étendue, 103, 105, 214, 395
 étendue and power, 128
 Euclid, 2
 European Southern Observatory (ESO), 5
 European Extremely Large Telescope (E-ELT), 314, 320
 exit pupil, 29
 exoplanets, 384, 396
 Fabry–Pérot (FP) interferometer, 243
 field curvature, 74
 field of view (FOV), 385
 field-angle errors, 336
 final image plane, 38
 first-order color, 65
 Fizeau, Hippolyte, 227, 356, 358
 Fizeau telescope, 356, 377
 F-number, 50
 focus diversity, 302
 fold mirror, 49
 Fourier transform, 238
 Fourier transform spectrometer (FTS), 228, 231, 238
 Fourier transform spectroscopy, 207
 Fraunhofer, Joseph von, 45
 Fraunhofer approximation, 176
 Fraunhofer diffraction pattern, 184
 frequency coverage, 364
 Fresnel, Augustin-Jean, 210
 Fresnel approximation, 175
 Fresnel lens, 210
 Fresnel zone plate, 211
 Fried's coherence parameter, 138
 fringe visibility, 234, 381
 fused silica, 5, 22
 Galilean telescope, 2
 Galileo, 2
 Gaus function, 190
 Gauss, Carl Frederick, 34, 273
 Gaussian function, 195
 Gaussian noise model, 308
 Gaussian optics, 273
 Gaussian pupil plane, 56
 Gaussian-beam optics, 273
 Gemini, 5
 Gemini North, 14
 Gemini South, 14
 generation-recombination noise, 205
 geometric aberrations, 53

- geometric properties of radiation, 119
- geometric spot size, 75
- geometrical aberration theory, 53
- geometrical optics, 15
- geometrical wavefront error (WFE), 57
- Gerchberg, R. W., 299
- Gerchberg–Saxton phase retrieval, 299, 301, 304
- ghost image, 111
- Giant Magellan Telescope (GMT), 5, 14, 314
- Giant Segmented Mirror Telescope (GSMT), 320
- Gonsalves, R. A., 305
- Goodman, Joseph W., 179
- Gran Telescopio Canarias (GTC), 5
- graybody, 119
- Greenwood frequency, 139
- Grimaldi, Francesco, 171
- group velocity, 19
- Hale, George Ellery, 5, 227, 379
- half aperture, 193
- Hartmann, Johannes, 292
- Harvey, J. W., 227
- Helmholtz invariant, 105
- heterodyne detection, 272
- heterodyne interferometry, 267, 390
- heterodyne spectrometers, 268
- HITRAN, 140
- Hobby Eberly Telescope (HET), 5, 320
- holographic optical elements, 210
- homodyne interferometry, 390
- Hooker telescope, 248, 379
- Hubble Space Telescope (HST), 9, 69, 202, 218, 299, 412
- Huygens–Fresnel principle, 173–175
- ICESAT telescope, 281
- image, 411
- image contrast, 108
- image formation, 145, 227, 250
- image plane, 173
- image quality, 172
- image-plane mask, 411
- incoherent radiation, 225
- index of refraction, 19
- Infrared Spatial Interferometer (ISI), 269
- influence functions, 296, 309
- inner working angle, 411
- intensity interferometer, 269
- intensity reflectivity, 160
- interference, 145
- interferometer, 225
- interferometry, 227, 379
- invariant, 103, 104
- inverse filter, 203
- inverted image, 46
- James Webb Space Telescope (JWST), 5, 320, 342
- Jet Propulsion Laboratory (JPL), 202
- Jones calculus, 148
- K prism, 48
- Keck telescopes, 5, 14, 249
- Keeler, Edward, 5
- Kepler, Johannes, 1
- Keplerian telescope, 2, 3, 281
- Kepler’s third law, 397
- keystone petals, 328
- kinofoms, 210
- Kirchoff’s law, 126
- Kitt Peak National Observatory, 252
- Kolmogorov, Andrey, 136
- Kolmogorov spectrum, 138
- Labeyrie, A., 252, 379
- Lagrange invariant, 105
- Lam and Goodman, 399
- Lambertian radiator, 121
- Lambertian source, 125
- Large Binocular Telescope (LBT), 5, 14, 249, 320
- Lick Observatory, 5
- Lippershey, Hans, 2

- Littrow, Joseph von, 215
 local phase gradients, 295
 longitudinal chromatic aberration,
 90, 93
 Lowenstein, E. V., 228
 low-spatial-frequency errors, 209
 Lyot, Bernard, 406
- Mahajan, Virendra, 208
 Marechal criterion, 139
 marginal focus, 70, 72, 76
 maximum-likelihood estimate, 307
 Mayall Telescope, 252
 McMath–Pierce Solar Telescope,
 228, 259
 mechanical structure, 285
 medial focus, 76
 meridional plane, 55
 Mersenne telescope, 390
 Michelson, Albert A., 227, 228
 Michelson interferometer, 229
 Michelson stellar interferometer
 (MSI), 228, 347, 377, 391
 Michelson stellar interferometer
 (MSI) fringes, 259
 microphonics, 205
 minimally redundant aperture, 355
 minimum circle, 72
 modulation transfer function (MTF),
 195, 197, 334, 354
 monochromatic aberration, 53
 Mt. Wilson, 5, 394
 Mueller matrices, 163–164
 Mueller matrix operator, 153
 multi-application curvature adaptive
 optics (MACAO), 395
 multiple deformable mirrors, 251
 multiple-telescope telescope (MTT),
 356
 mutual coherence function (MCF),
 233, 261, 263, 347
- National Science Foundation (NSF),
 14
 Newton, Sir Isaac, 4
 Newtonian telescope, 4
 Newton's laws, 397
 Nisenson and Papaliolios, 399
 nodal point, 35
 noise, 116, 205
 nomenclature, 116
 nonredundant apertures, 349
 numerical aperture (NA), 50, 197
- object plane, 173
 Offner, Abe, 217
 optical configurations, innovative,
 387
 optical constants, 160
 optical metrology, 287, 358
 optical path difference (OPD), 229,
 282
 optical testing, 270
 optical transfer function (OTF), 195,
 367
 optical-fiber-fed spectrographs, 219
- paraxial, 72
 paraxial approximation, 30–33, 181
 paraxial focus, 69
 paraxial image planes, 56
 Parseval's theorem, 192
 Pease, E. G., 228
 penta prism, 48
 Peterson and Hinkle, 290
 Petzval, Joseph, 74
 Petzval curvature, 74, 92
 Petzval surface, 74
 phase closure, 352
 phase diversity, 305
 phase retrieval, 299, 302
 phase velocity, 19
 phase-retrieval algorithm, 304
 phase wrapping, 304
 photon sieve telescope, 211
 pinhole aperture, 193
 plane-parallel plate aberrations, 85
 Planck's law, 117
 point spread function (PSF), 178,
 200, 204
 Poisson-distributed noise, 366
 polarization, 147

- polarization in interferometers, 236
- polarization, source of, 154
- polychromatic, 228
- postdetection processing, 269
- power spectrum, 136, 233, 238
- probability density distribution, 265
- processed images, 365–365
- Ptolemy, 2
- pupil, 411
- pupil amplitude, 305
- pupil plane, 173
- pupil shape, 363
- pupil topography, 350, 361, 369
- pupil-plane mask, 411
- pyramid apodized aperture, 193
- Pyrex®, 5

- quantum optics, 15
- quasi-monochromatic, 233

- radial velocity, 397
- radiance, 116, 120
- radiant exitance, 116
- radiant incidence, 116
- radiant power, 115
- radiation, unwanted, 108
- radiometry, 15, 145
- random phase, 228
- random variable, 205
- ray errors, 63
- ray intercept, 78
- Rayleigh, Lord, (J. W. Strutt), 172
- Rayleigh backscatter, 314
- Rayleigh criterion, 71, 178
- rectangle function, 186
- reference image, 364
- reference spherical wave, 54
- reference wavefront, 53
- reflectance, 102, 235
- reflectivity, 123
- refractive index structure function, 137
- resolution, 195
- reverted image, 46
- Ribak, E., 399

- Ritchey–Chrétien telescope, 320, 325
- Roddier, C. and Roddier, F., 399
- Ronchi ruling, 176
- root-mean-square (rms) wavefront error (WFE), 209
- Rosetta Stone, 225
- rotational shear interferometer, 244

- sagittal field curvature, 92
- sagittal focus, 75
- Saxton, W. O., 299
- scalar diffraction, 15, 171
- scattered light, 108
- scene contrast, 363
- Schmidt camera, 95
- Schott glass, 23
- Schott noise, 205, 206
- Schott Optical Glass, 22
- segmented primary mirror, 327
- Seidel aberrations, 61
- Seidel optical aberration terms, 53
- sensitivity, 385
- sensitivity analysis, 285
- sensitivity matrix, 309, 310, 313
- sgn function, 187
- Shack–Hartmann sensor, 293, 298
- shift theorem, 191
- Shurcliff, W. A., 164
- sign convention, 26
- signal and noise calculation, 124
- signal photons and electrons, 363
- signal-to-noise-ratio (SNR), 130, 202, 235, 266, 347
- silver coatings, 161
- similarity theorem, 191
- sinc function, 186
- single-telescope adaptive optics, 387
- Sloan Digital Sky Survey (SDSS), 218
- sodium layer, 314
- Solar and Heliospheric Observatory, 409
- solar corona, 406
- Sommerfeld, Arnold, 172

- Space Interferometry Mission (SIM), 398
- space-invariant transformation, 203
- sparse-aperture optical telescopes, 352
- sparse-aperture telescopes, 348, 350–351, 358
- spatial interferometry, 267
- speckle interferometry, 135, 251
- spectral bandwidth, 364
- spectral radiant exitance, 116
- spectral radiant incidence, 116
- spectral resolution, 386
- spectrometers, 215
- spherical aberration, 66–67, 69, 92
- spherical aberration and coma, 90
- Spitzer space telescope, 14
- spot diagram, 64
- square aperture, 193
- stationary in time, 232
- statistical optics, 15
- Stefan–Boltzmann law, 118
- stellar atmospheres, 382
- Stellar Images (SI), 373
- Stephan, S., 227
- Stereo telescope, 281
- Stokes vector, 150
- stop shift, 91
- Strehl ratio, 139, 195, 208, 334
- structural aberration coefficients, 93
- superresolution, 202, 203
- surface brightness, 406
- surface normal arrangement, 311
- surface parallel actuation, 313
- surface parallel arrangement, 311
- tangential focus, 75
- telecentric optical systems, 97
- temporal mutual coherence function (MCF), 232
- temporal frequency correlation, 267
- temporal frequency interferometer, 229
- Terrestrial Planet Finder Coronagraph (TPF-C), 407
- thermal (noise source), 205
- thin lens, 87, 88
- Thirty Meter Telescope (TMT), 5, 14, 314, 320
- throughput, 103, 105, 214
- throughput and power, 128
- tilt, 61, 338
- tilt anisoplanatism, 254
- tilt-compensated Fourier transform spectrometers, 240–242
- time scales, 386
- titanium dioxide (TiO₂), 126
- tolerance analysis, 285
- tolerance chart, 84
- tolerancing, 82
- topology, 393
- Townes, C. H., 269
- transmittance, 101, 235
- transverse chromatic aberration, 90, 93
- triangle function, 187
- two-stage optics system, 281, 329
- Twyman and Green, 231
- Twyman–Green spectrometer, 231
- unit telescope, 385, 387
- unpolarized electric field, 228
- van Cittert–Zernike theorem, 247
- variable-curvature mirror (VCM), 395
- vector diffraction, 15
- vector waves, 146
- vector theory, 171
- Vega (α Lyrae), 130, 259
- Very Large Telescope Interferometer (VLTI), 394
- vignetting, 106
- wave nature of light, 171
- wavefront error (WFE), 54, 80, 209, 271, 283, 289, 309
- wavefront sensing and control (WFSC), 9, 281, 289, 358
- wavefront-corrector mirror, 334
- white light, 372

- Wide-Field Planetary Camera
(WF/PC), 202, 321, 325
- Wiener, Norbert, 206
- Wiener deconvolution, 365
- Wiener filter, 207, 368
- WISE telescope, 281
- Yerkes Observatory, 4
- Young, Thomas, 171
- Young's double-slit experiment, 225
- ZEMAX, 82
- Zernike polynomials, 54, 62, 209,
283
- Zerodur®, 5



Dr. Breckinridge earned his B.S. degree in physics from Case Institute of Technology, Cleveland, OH in 1961 and his M.S. (1970) and Ph.D. (1976) degrees in optical sciences from the College of Optical Sciences at the University of Arizona, where he was a student of Profs. R. Shack, R. Shannon, J. Stoner, and J. Burke. His dissertation was on the development of the rotational shear spatial interferometer with applications to problems in the astronomical sciences. After receiving his B.S. degree, Breckinridge was an astronomical research assistant at Lick Observatory for three years,

collaborating with G. E. Kron on six color photometric standards and image tubes. He then worked for one year designing, building, and evaluating electron optics image intensifier and image converter tubes at Rauland Corp. in Chicago, IL. Dr. Breckinridge continued his astronomy career in the Solar Division at Kitt Peak National Observatory, Tucson, for 11 years, where he collaborated with K. Pierce and J. Brault, before moving to the NASA Jet Propulsion Laboratory (JPL) in Pasadena, CA in 1976. At JPL he was the instrument scientist for the ATMOS and the founding manager of the JPL Optics Section, which is responsible for the design, construction, and testing of most of the space-flight optical systems built by JPL. In 1994, Dr. Breckinridge became the JPL program manager for Innovative Optical Systems. In 1999 he accepted an assignment to the National Science Foundation in Washington, D.C. to manage the Advanced Technologies and Instruments program for the Astronomical Sciences Division. He returned to JPL in 2003 to become the chief technologist for the NASA exoplanet program. In 2010 he retired from JPL after 33 years of service.

Dr. Breckinridge has taught the optical engineering class in the CALTECH Applied Physics and Aeronautics departments from 1983 to the present. He has more than 95 publications in astronomy, physical optics, spectroscopy, and image science. He was elected as the President of SPIE and to the governing board of the Council of Scientific Society Presidents. He is an elected fellow of the Optical Society of America, the Royal Astronomical Society of London, and SPIE, and a member of the American Astronomical Society and the International Astronomical Union. Breckinridge received SPIE's 2003 George W. Goddard award. He also received eight NASA achievement awards and holds four patents, including a patent for the ATMOS successful space flight instrument.

Dr. Breckinridge currently holds an academic appointment at CALTECH as a visiting associate and is an adjunct professor of optics at the College of Optical Sciences at the University of Arizona. His current research interests are optical systems for the characterization of exoplanets and topics in advanced optical system engineering and technology. He is a consultant in space optics systems and technology.