Communication

Force-Dependent Multicolor Mechanochromism from a Single Mechanophore

Molly E. McFadden, and Maxwell J. Robb

J. Am. Chem. Soc., **Just Accepted Manuscript** • DOI: 10.1021/jacs.9b05280 • Publication Date (Web): 08 Jul 2019Downloaded from <http://pubs.acs.org> on July 8, 2019

Just Accepted

"Just Accepted" manuscripts have been peer-reviewed and accepted for publication. They are posted online prior to technical editing, formatting for publication and author proofing. The American Chemical Society provides "Just Accepted" as a service to the research community to expedite the dissemination of scientific material as soon as possible after acceptance. "Just Accepted" manuscripts appear in full in PDF format accompanied by an HTML abstract. "Just Accepted" manuscripts have been fully peer reviewed, but should not be considered the official version of record. They are citable by the Digital Object Identifier (DOI®). "Just Accepted" is an optional service offered to authors. Therefore, the "Just Accepted" Web site may not include all articles that will be published in the journal. After a manuscript is technically edited and formatted, it will be removed from the "Just Accepted" Web site and published as an ASAP article. Note that technical editing may introduce minor changes to the manuscript text and/or graphics which could affect content, and all legal disclaimers and ethical guidelines that apply to the journal pertain. ACS cannot be held responsible for errors or consequences arising from the use of information contained in these "Just Accepted" manuscripts.

Force-Dependent Multicolor Mechanochromism from a Single Mechanophore

Molly E. McFadden and Maxwell J. Robb*

Division of Chemistry and Chemical Engineering, California Institute of Technology, Pasadena, CA 91125, United States

Supporting Information Placeholder

ABSTRACT: We report a bis-naphthopyran mechanophore that exhibits force-dependent changes in visible absorption. A series of polymers incorporating a chain-centered bis-naphthopyran mechanophore are activated using ultrasonication. By varying the length of the polymer chains, the force delivered to the mechanophore is modulated systematically. We demonstrate that the relative distribution of two distinctly colored merocyanine products is altered predictably with different magnitudes of applied force, resulting in gradient multicolor mechanochromism. The mechanochemical reactivity of bis-naphthopyran is supported by DFT calculations and described by a theoretical model that provides insight into the force-color relationship.

Mechanophores are molecules that undergo specific and productive chemical transformations under mechanical stress.¹ In polymer mechanochemistry, force is transduced to a mechanophore through covalently linked polymer chains.² Mechanophores that exhibit changes in color or luminescence, for example, enable the straightforward visible detection of stress and/or strain in polymers and polymeric materials.³ A diverse library of mechanochromic molecular force probes has emerged including spiropyran⁴ and naphthopyran,⁵ which undergo 6π electrocyclic ring-opening reactions under force to generate colored merocyanine dyes. In addition, mechanophores that homolytically cleave to generate colored radical species,⁶ the force-activated unzipping of poly(ladderene) to form conjugated polyacetylene,⁷ and the ring-opening reaction of rhodamine⁸ have also been recently reported.

The development of mechanochromic mechanophores that are capable of distinguishing between different magnitudes of force through discrete visual signals remains an important challenge. Spiropyran^{4d,9} and rhodamine^{8b} exhibit a unique color transition in materials under active stress and after relaxation due to presumed changes in *cis-trans* isomerization and conformational torsion, respectively. Furthermore, taking advantage of the unique properties of phase-separated polymer and composite materials, differential activation of two different mechanochromic mechanophores introduced into hard and soft domains has been demonstrated under varying degrees of mechanical stimulation.¹⁰ A single mechanophore, however, that is capable of achieving a force-dependent, gradient multicolor response is a desirable target.

We were intrigued by reports of multicolor photochromism in bis-naphthopyran (BNP) chromophores (Scheme 1).¹¹ The two pyran rings, which are initially in the closed-closed state (BNP_{C-C}), open sequentially under extended irradiation with UV light to generate distinctly colored merocyanine dyes. A single ring-opening reaction produces the open-closed form (BNP_{O-C})

Scheme 1. Electrocyclic reactions of bis-naphthopyran produce distinctly colored merocyanine products via photochemical, thermal, and mechanochemical processes.

with absorption properties characteristic of typical merocyanine dyes; however, the ring-opening reaction of the second pyran unit generates the open-open bis-merocyanine species (BNP_{O-O}) that absorbs at longer wavelengths due to conjugation through the thiophene linker. Here, we report the mechanochemical reactivity of a BNP mechanophore that exhibits force-dependent multicolor mechanochromism. Interestingly, the mechanochemical behavior of the BNP mechanophore is distinct from its photochemical reactivity. In contrast to the sequential ring-opening behavior with light, BNP_{O-O} appears to be generated directly with force. A dy-

1 namic equilibrium is achieved under mechanical activation in
 2 which the distribution of merocyanine products is increasingly
 3 biased toward BNP_{O-O} with greater force applied to the BNP
 4 mechanophore. The trend in mechanochemical reactivity is de-
 5 scribed by a mechanistic model that captures the experimentally
 6 determined force-color relationship.

7 Density functional theory (DFT) calculations using the easily
 8 implemented constrained geometries simulate external force (Co-
 9 GEF) method¹² were initially performed to evaluate the mechano-
 10 chemical activity of bis-naphthopyran (see the Supporting Infor-
 11 mation (SI) for details). Encouragingly, the calculations predict
 12 successful ring-opening reactions of both pyran units upon mo-
 13 lecular elongation. To experimentally evaluate the mechanochem-
 14 ical reactivity of bis-naphthopyran, we synthesized a series of
 15 poly(methyl acrylate) (PMA) polymers incorporating a BNP unit
 16 near the center of the polymer chain (Scheme 2). An *ortho*-

17 Scheme 2. Synthesis of poly(methyl acrylate) polymers 18 containing a chain-centered bis-naphthopyran unit.

19 fluorophenyl group was incorporated into the BNP structure,
 20 which reduces the rate of thermal ring-closure and extends the
 21 lifetime of the merocyanine species.¹³ Polymers with number
 22 average molecular weights (M_n) in the range 22–330 kDa were
 23 prepared (Table 1) and mechanically activated in solution using
 24 ultrasonication, which generates elongational forces on polymer
 25 chains that are maximized near the chain midpoint. According to
 26 the bead-rod model, the force experienced by a polymer under

27 **Table 1. Polymer characterization and quantification of force-
 28 dependent mechanochromism.**

29 Polymer	30 M_n (kDa) ^a	31 DP ^b	32 $\bar{D}^c$	33 B_{620}/B_{460}^c
34 BNP-PMA ₂₂	21.5	250	1.19	0.24 ± 0.010
35 BNP-PMA ₄₀	40.0	465	1.10	0.32 ± 0.025
36 BNP-PMA ₅₃	53.1	617	1.10	0.40 ± 0.033
37 BNP-PMA ₇₃	73.2	850	1.10	0.44 ± 0.014
38 BNP-PMA ₉₈	97.6	1130	1.20	0.51 ± 0.068
39 BNP-PMA ₁₆₅	165	1920	1.15	0.62 ± 0.047
40 BNP-PMA ₃₃₀	330	3830	1.24	0.75 ± 0.024

41 ^aDetermined from GPC-MALLS. ^b M_n/M_0 . ^cAverage values from
 42 absorbance data fitted to eq 1. Standard deviation from a mini-
 43 mum of three trials.

44 these conditions is dependent upon the length of the chain.¹⁴
 45 Thus, the magnitude of force applied to a BNP molecule during
 46 ultrasonication is tuned by varying the degree of polymerization
 47 (DP) of the attached polymer chains, with longer polymers trans-
 48 ducing greater force. Accordingly, the activation rate of mechano-
 49 chemical reactions is directly proportional to DP above a thresh-
 50 old chain length.^{12b} Although DP is a better descriptor of mechani-
 51 cal activation,¹⁵ we refer to polymer molecular weight as a more
 52 identifiable metric since only PMA was used in this study.

53 The photochromic properties of a 330 kDa polymer containing
 54 a chain-centered bis-naphthopyran molecule (BNP-PMA₃₃₀) were
 55 initially investigated and compared to its mechanochemical reac-
 56 tivity. Photochemical and mechanochemical reactions were moni-
 57 tored in real-time by UV-vis absorption spectroscopy using a
 58 peristaltic pump to continuously circulate a polymer solution be-
 59 tween a reaction vessel and a UV-vis flow cell.^{15a} A THF solution
 60 of BNP-PMA₃₃₀ at -45 °C was irradiated with UV light ($\lambda = 311$
 nm) and absorption spectra were acquired over time (Figure 1a).
 At early irradiation times, a new peak with an absorption maxi-
 mum at approximately 460 nm emerges, corresponding to the
 BNP_{O-C} species.^{11a} A longer wavelength absorption signal ap-
 pears after extended UV irradiation that corresponds to the BNP_{O-O}
 form. To better characterize the formation of each species over
 time, the absorbance at two characteristic wavelengths of 460 nm
 and 620 nm were monitored continuously. The latter wavelength
 was chosen to minimize overlap with the absorption of BNP_{O-C},
 allowing for the selective detection of BNP_{O-O}. Under constant
 photoirradiation of BNP-PMA₃₃₀, the absorbance at 460 nm in-
 creases rapidly and reaches a maximum well before the absorbance
 at 620 nm. These observations are consistent with a sequen-
 tial photoactivation mechanism in which BNP_{C-C} undergoes a
 single ring-opening reaction to generate BNP_{O-C}, followed by
 transformation of the second pyran ring to produce BNP_{O-O}.
 Tracking the concentration of each species as a function of pho-
 toirradiation time using extinction coefficients estimated from
 similar isolated small molecules^{11a,b} further supports this mecha-
 nism (Figure S1).

61 Mechanochemical activation of PMA chain-centered bis-
 62 naphthopyran was investigated by subjecting polymers in THF at
 63 -45 °C to continuous ultrasonication (8.2 W/cm²) using the same
 64 analytical flow setup employed in the photoirradiation experi-
 65 ments. In contrast to the sequential photoactivation behavior,
 66 mechanochemical activation of BNP-PMA₃₃₀ occurs via a differ-
 67 ent mechanism (Figure 1b). The absorbance at 620 nm reaches a
 68 maximum value early, while the absorbance at 460 nm continues
 69 to increase more slowly with longer ultrasonication exposure.
 70 These data indicate that BNP_{O-O} is formed relatively quickly in the
 71 mechanochemical reaction compared to BNP_{O-C}, which is gener-
 72 ated relatively slowly. Ultrasound-induced mechanical activation
 73 of lower molecular weight BNP-PMA₄₀ under the same condi-
 74 tions exhibits a similar trend in absorbance over time with the
 75 population of BNP_{O-O} reaching a steady state before BNP_{O-C};
 76 however, the absorption spectra are markedly different (Figure
 77 1c). Remarkably, these results suggest that the relative distribu-
 78 tion of BNP_{O-C} and BNP_{O-O} resulting from the mechanochemical
 79 reaction and the correlated visible absorption spectrum are force-
 80 dependent (*vide infra*). Control experiments performed on a
 81 chain-end functional polymer confirm the mechanical origin of the
 82 observed ultrasound-induced reactivity (Figure S2).

83 To further quantify how varying force affects the dynamic equi-
 84 librium of the system and the distribution of merocyanine species
 85 at the mechanostationary state,^{15a} the series of polymers was sub-
 86 jected to ultrasound-induced mechanical activation as described
 87 above, the absorbance at 460 nm and 620 nm was plotted as a
 88 function of sonication time, and the curves were fitted to eq 1:

$$89 \text{ Abs}(t) = B(1 - e^{-kt}) \quad (1)$$

Figure 1. UV-vis absorption behavior of bis-naphthopyran under photochemical and mechanochemical activation. (a) Absorption spectra of 330 kDa **BNP-PMA**₃₃₀ upon increasing exposure to UV light ($\lambda = 311$ nm) illustrating sequential ring-opening behavior. Insets show absorbance monitored at characteristic wavelengths of 460 nm and 620 nm during the reactions. UV-vis absorption behavior of (b) 330 kDa **BNP-PMA**₃₃₀ and (c) 40 kDa **BNP-PMA**₄₀ subjected to ultrasound-induced mechanochemical activation demonstrating a non-sequential ring-opening process and force-dependent visible absorption. Polymer concentrations are 2 mg/mL in THF.

where $Abs(t)$ is the absorbance at a specific wavelength at time t , B is the amplitude (the maximum absorbance value), and k is the effective rate constant. A representative example is illustrated in Figure 2a. Average values of B measured at 460 nm (B_{460}) and 620 nm (B_{620}) were determined from a minimum of three trials for each polymer and are reflective of the steady-state concentration of merocyanine species. More importantly, as discussed below, the ratio of B_{620} to B_{460} for each polymer provides a consistent measure of the ensemble average steady-state distribution of **BNP**_{O-C} and **BNP**_{O-O} at a particular applied force (Table 1).

Representative traces of absorbance at 620 nm scaled to respective values of B_{460} as a function of sonication time are shown for each polymer in Figure 2b. These data reveal how the populations of merocyanine species change over time to reach a steady-state concentration of **BNP**_{O-C} and **BNP**_{O-O}. The relative spectral contribution from the **BNP**_{O-O} state becomes greater with increasing molecular weight of the attached polymers, and thus with greater force applied to the **BNP** mechanophore. Additionally, the steady-state concentration of **BNP**_{O-O} is reached faster with higher molecular weight polymers, which is consistent with longer chains being activated more quickly in mechanochemical reactions.

We constructed a theoretical model to further understand the force-color relationship observed for the **BNP** mechanophore (Figure 2c). As mentioned above, the average ratio of B_{620}/B_{460} determined for each polymer serves as a proxy to describe the overall distribution of **BNP**_{O-C} and **BNP**_{O-O} resulting from the mechanochemical reaction. In the model, the relative steady-state concentrations (φ) of **BNP**_{O-C} and **BNP**_{O-O} given by eq 2:

$$\varphi_{O-O} = 1 - \varphi_{O-C} = \frac{[\text{BNP}_{O-O}]}{[\text{BNP}_{O-C}] + [\text{BNP}_{O-O}]} \quad (2)$$

are related to M_n according to eq 3:

$$\varphi_{O-O} = 1 - e^{-c(M_n/M_0)} \quad (3)$$

where c is a constant and M_0 is the molecular weight of the monomer unit ($DP = M_n/M_0$). The concentration of each merocyanine species can be calculated from the experimentally determined absorbance values at 460 nm and 620 nm using the Beer-Lambert relationship and previously estimated extinction coefficients to predict the dependence of B_{620}/B_{460} on M_n (see the SI for details). The goal of this model is not to describe the system exactly, but rather capture the overall trend observed for the changes in visible absorption resulting from mechanical activation of **BNP** with

Figure 2. Evaluation of force-dependent mechanochromism of the **BNP** mechanophore. (a) Representative kinetic plots for **BNP-PMA**₇₃ demonstrating the determination of steady-state absorbance values. Absorbance at 460 nm and 620 nm was recorded for each polymer during ultrasound-induced mechanical activation and fitted to eq 1 to calculate B_{460} and B_{620} . (b) Representative traces of absorbance at 620 nm as a function of sonication time for each polymer scaled to their respective values of B_{460} . (c) Ratios of B_{620}/B_{460} determined for polymers of varying M_n describe the overall distribution of **BNP**_{O-C} and **BNP**_{O-O} and are consistent with a theoretical model that predicts the force-color relationship.

varying force. This simple model is in good agreement with the data.

The experimental results presented above demonstrating force-dependent, gradient multicolor mechanochromism of the BNP mechanophore are consistent with a non-sequential activation mechanism in which $\text{BNP}_{\text{C-C}}$ is converted directly to $\text{BNP}_{\text{O-O}}$ (see the SI for details). Biased by external force, $\text{BNP}_{\text{C-C}}$ exists in equilibrium with $\text{BNP}_{\text{O-C}}$ and $\text{BNP}_{\text{O-O}}$ and the distribution of the two merocyanine species is dictated by the balance between the forward rate of mechanochemical activation and thermal electrocyclization, resulting in a mechanostationary state. Although the complex interconversion processes preclude an exact solution of the rate law, numerical modeling supports the proposed mechanism and suggests that $\text{BNP}_{\text{O-C}}$ is produced predominately, if not exclusively, from thermal electrocyclization of $\text{BNP}_{\text{O-O}}$. The data and the kinetic model also indicate that $\text{BNP}_{\text{O-C}}$ can be activated mechanochemically to regenerate $\text{BNP}_{\text{O-O}}$. As the average DP, or M_n , of the polymers attached to the BNP mechanophore increases, the rate of electrocyclic ring-opening increases, which shifts the merocyanine distribution at the mechanostationary state toward $\text{BNP}_{\text{O-O}}$. This feature is reflected in a greater spectral contribution from $\text{BNP}_{\text{O-O}}$ relative to $\text{BNP}_{\text{O-C}}$ and a larger ratio of B_{620}/B_{460} . This mechanism also accounts for the more rapid mechanochemical generation of $\text{BNP}_{\text{O-O}}$ compared to $\text{BNP}_{\text{O-C}}$. With the exception of **BNP-PMA22**, polymer chain scission occurs with extended ultrasonication as expected, leading to irreversible loss of $\text{BNP}_{\text{O-O}}$. This degradation pathway is included explicitly in the kinetic model; however, it appears to have a minimal effect on the value of B_{620}/B_{460} .

In summary, we have developed a bis-naphthopyran (BNP) mechanophore that exhibits force-dependent, gradient multicolor mechanochromism. The BNP mechanophore was incorporated into a series of polymers with different degrees of polymerization and mechanically activated in solution using ultrasonication. By changing the length of the attached polymer chains, the amount of force delivered to the mechanophore was varied systematically. Mechanical activation of BNP proceeds via a mechanistically distinct pathway compared to the photochemical process. Increasing the force applied to the BNP mechanophore predictably alters the relative distribution of two distinctly colored merocyanine products, resulting in a graded change in the overall visible absorption spectrum. The mechanochemical behavior of the BNP mechanophore is described by a theoretical model that provides insight into the force-color relationship.

ASSOCIATED CONTENT

Supporting Information

The Supporting Information is available free of charge on the ACS Publications website.

Experimental details and additional characterization data, kinetic modeling, synthetic procedures, DFT calculations, GPC chromatograms, UV-vis data, and NMR spectra (PDF).

AUTHOR INFORMATION

Corresponding Author

mrobb@caltech.edu

Notes

The authors declare no competing financial interests.

ACKNOWLEDGMENT

Financial support from Caltech and the Dow Next Generation Educator Fund is gratefully acknowledged. We thank Corey Husic, Anna Overholts, and Dr. Scott Virgil for helpful discus-

sions and the Caltech Center for Catalysis and Chemical Synthesis of the Beckman Institute at Caltech for access to equipment. MEM was supported by a NSF Graduate Research Fellowship (DGE-1745301).

REFERENCES

- (1) Li, J.; Nagamani, C.; Moore, J. S. Polymer Mechanochemistry: From Destructive to Productive. *Acc. Chem. Res.* **2015**, *48*, 2181–2190.
- (2) (a) Beyer, M. K.; Clausen-Schaumann, H. Mechanochemistry: The Mechanical Activation of Covalent Bonds. *Chem. Rev.* **2005**, *105*, 2921–2948. (b) Caruso, M. M.; Davis, D. A.; Shen, Q.; Odom, S. A.; Sottos, N. R.; White, S. R.; Moore, J. S. Mechanically-Induced Chemical Changes in Polymeric Materials. *Chem. Rev.* **2009**, *109*, 5755–5798.
- (3) (a) Chen, Y.; Spiering, A. J. H.; Karthikeyan, S.; Peters, G. W. M.; Meijer, E. W.; Sijbesma, R. P. Mechanically Induced Chemiluminescence from Polymers Incorporating a 1,2-Dioxetane Unit in the Main Chain. *Nat. Chem.* **2012**, *4*, 559–562. (b) Zhang, H.; Gao, F.; Cao, X.; Li, Y.; Xu, Y.; Weng, W.; Boulatov, R. Mechanochemical and Mechanical-Force-Triggered Cross-Linking from a Single Reactive Moiety Incorporated into Polymer Chains. *Angew. Chem. Int. Ed.* **2016**, *55*, 3040–3044. (c) Li, Z.; Toivola, R.; Ding, F.; Yang, J.; Lai, P.-N.; Howie, T.; Georgeson, G.; Jang, S.-H.; Li, X.; Flinn, B. D.; Jen, A. K.-Y. Highly Sensitive Built-In Strain Sensors for Polymer Composites: Fluorescence Turn-On Response through Mechanochemical Activation. *Adv. Mater.* **2016**, *28*, 6592–6597. (d) Clough, J. M.; Creton, C.; Craig, S. L.; Sijbesma, R. P. Covalent Bond Scission in the Mullins Effect of a Filled Elastomer: Real-Time Visualization with Mechanoluminescence. *Adv. Funct. Mater.* **2016**, *26*, 9063–9074. (e) Göstl, R.; Sijbesma, R. P. π -Extended Anthracenes as Sensitive Probes for Mechanical Stress. *Chem. Sci.* **2016**, *7*, 370–375. (f) Sagara, Y.; Karman, M.; Verde-Sesto, E.; Matsuo, K.; Kim, Y.; Tamaoki, N.; Weder, C. Rotaxanes as Mechanochromic Fluorescent Force Transducers in Polymers. *J. Am. Chem. Soc.* **2018**, *140*, 1584–1587. (g) Sagara, Y.; Karman, M.; Seki, A.; Pannipara, M.; Tamaoki, N.; Weder, C. Rotaxane-Based Mechanophores Enable Polymers with Mechanically Switchable White Photoluminescence. *ACS Cent. Sci.* **2019**, *5*, 874–881.
- (4) (a) Potisek, S. L.; Davis, D. A.; Sottos, N. R.; White, S. R.; Moore, J. S. Mechanophore-Linked Addition Polymers. *J. Am. Chem. Soc.* **2007**, *129*, 13808–13809. (b) Davis, D. A.; Hamilton, A.; Yang, J.; Cremer, L. D.; Van Gough, D.; Potisek, S. L.; Ong, M. T.; Braun, P. V.; Martinez, T. J.; White, S. R.; Moore, J. S.; Sottos, N. R. Force-Induced Activation of Covalent Bonds in Mechanoresponsive Polymeric Materials. *Nature* **2009**, *459*, 68–72. (c) Lee, C. K.; Beiermann, B. A.; Silberstein, M. N.; Wang, J.; Moore, J. S.; Sottos, N. R.; Braun, P. V. Exploiting Force Sensitive Spiropyrans as Molecular Level Probes. *Macromolecules* **2013**, *46*, 3746–3752. (d) Gossweiler, G. R.; Hewage, G. B.; Soriano, G.; Wang, Q.; Welshofer, G. W.; Zhao, X.; Craig, S. L. Mechanochemical Activation of Covalent Bonds in Polymers with Full and Repeatable Macroscopic Shape Recovery. *ACS Macro Lett.* **2014**, *3*, 216–219. (e) Zhang, H.; Chen, Y.; Lin, Y.; Fang, X.; Xu, Y.; Ruan, Y.; Weng, W. Spiropyran as a Mechanochromic Probe in Dual Cross-Linked Elastomers. *Macromolecules* **2014**, *47*, 6783–6790. (f) Peterson, G. I.; Larsen, M. B.; Ganter, M. A.; Storti, D. W.; Boydston, A. J. 3D-Printed Mechanochromic Materials. *ACS Appl. Mater. Interfaces* **2015**, *7*, 577–583. (g) Gossweiler, G. R.; Kouznetsova, T. B.; Craig, S. L. Force-Rate Characterization of Two Spiropyran-Based Molecular Force Probes. *J. Am. Chem. Soc.* **2015**, *137*, 6148–6151. (f) Lin, Y.; Barbee, M. H.; Chang, C. C.; Craig, S. L. Regiochemical Effects on Mechanophore Activation in Bulk Materials. *J. Am. Chem. Soc.* **2018**, *140*, 15969–15975.
- (5) Robb, M. J.; Kim, T. A.; Halmes, A. J.; White, S. R.; Sottos, N. R.; Moore, J. S. Regioisomer-Specific Mechanochromism of Naphthopyran in Polymeric Materials. *J. Am. Chem. Soc.* **2016**, *138*, 12328–12331.
- (6) (a) Imato, K.; Irie, A.; Kosuge, T.; Ohishi, T.; Nishihara, M.; Takahara, A.; Otsuka, H. Mechanophores with a Reversible Radical System and Freezing-Induced Mechanochemistry in Polymer Solutions and Gels. *Angew. Chem. Int. Ed.* **2015**, *54*, 6168–6172. (b) Verstraeten, F.; Göstl, R.; Sijbesma, R. P. Stress-Induced Colouration and Crosslinking of Polymeric Materials by Mechanochemical Formation of Triphenylimidazolyl Radicals. *Chem. Commun.* **2016**, *52*, 8608–8611. (c) Ishizuki, K.; Oka, H.; Aoki, D.; Goseki, R.; Otsuka, H. Mechanochromic Polymers That Turn Green Upon the Dissociation of Diarylbibenzothiophenonyl: The Missing Piece toward Rainbow Mechanochromism. *Chem. Eur. J.* **2018**, *24*, 3170–3173. (d) Sakai, H.; Sumi, T.; Aoki, D.; Goseki, R.; Otsuka, H. Thermally Stable Radical-Type Mechanochromic Polymers Based on Difluorenylsuccinonitrile. *ACS Macro Lett.* **2018**, *7*, 1359–1363.

(7) Chen, Z.; Mercer, J. A. M.; Zhu, X.; Romaniuk, J. A. H.; Pfattner, R.; Cegelski, L.; Martinez, T. J.; Burns, N. Z.; Xia, Y. Mechanochemical Unzipping of Insulating Poly(ladderene) to Semiconducting Polyacetylene. *Science*. **2017**, *357*, 475–479.

(8) (a) Wang, Z.; Ma, Z.; Wang, Y.; Xu, Z.; Luo, Y.; Wei, Y.; Jia, X. A Novel Mechanochromic and Photochromic Polymer Film: When Rhodamine Joins Polyurethane. *Adv. Mater.* **2015**, *27*, 6469–6474. (b) Wang, T.; Zhang, N.; Dai, J.; Li, Z.; Bai, W.; Bai, R. Novel Reversible Mechanochromic Elastomer with High Sensitivity: Bond Scission and Bending-Induced Multicolor Switching. *ACS Appl. Mater. Interfaces* **2017**, *9*, 11874–11881.

(9) Kim, T. A.; Robb, M. J.; Moore, J. S.; White, S. R.; Sottos, N. R. Mechanical Reactivity of Two Different Spiropyran Mechanophores in Polydimethylsiloxane. *Macromolecules* **2018**, *51*, 9177–9183.

(10) (a) Ishizuki, K.; Aoki, D.; Goseki, R.; Otsuka, H. Multicolor Mechanochromic Polymer Blends That Can Discriminate between Stretching and Grinding. *ACS Macro Lett.* **2018**, *7*, 556–560. (b) Kosuge, T.; Zhu, X.; Lau, V. M.; Aoki, D.; Martinez, T. J.; Moore, J. S.; Otsuka, H. Multicolor Mechanochromism of a Polymer/Silica Composite with Dual Distinct Mechanophores. *J. Am. Chem. Soc.* **2019**, *141*, 1898–1902.

(11) (a) Lu, X.; Dong, Q.; Dong, X.; Zhao, W. Synthesis and Sequential Photochromism of Thiophene-Linked Bis-Pyrans. *Tetrahedron* **2015**, *71*, 4061–4069. (b) Zhao, W.; Carreira, E. M. Oligothiophene-Linked Bisnaphthopyrans: Sequential and Temperature-Dependent Photochromism. *Chem. Eur. J.* **2007**, *13*, 2671–2688. (c) Zhao, W.; Carreira, E. M. A Smart Photochromophore through Synergistic Coupling of Photochromic Subunits. *J. Am. Chem. Soc.* **2002**, *124*, 1582–1583.

(12) (a) Beyer, M. K. The Mechanical Strength of a Covalent Bond Calculated by Density Functional Theory. *J. Chem. Phys.* **2000**, *112*, 7307–7312. (b) Kryger, M. J.; Munaretto, A. M.; Moore, J. S. Structure-Mechanochemical Activity Relationships for Cyclobutane Mechanophores. *J. Am. Chem. Soc.* **2011**, *133*, 18992–18998.

(13) Gabbutt, C. D.; Heron, B. M.; Instone, A. C. Control of the Fading Properties of Photochromic 3,3-Diaryl-3*H*-Naphtho[2,1-*b*]Pyrans. *Heterocycles* **2003**, *60*, 843–855.

(14) Odell, J. A.; Keller, A. Flow-Induced Chain Fracture of Isolated Linear Macromolecules in Solution. *J. Polym. Sci., Part B: Polym. Phys.* **1986**, *24*, 1889–1916.

(15) (a) May, P. A.; Munaretto, N. F.; Hamoy, M. B.; Robb, M. J.; Moore, J. S. Is Molecular Weight or Degree of Polymerization a Better Descriptor of Ultrasound-Induced Mechanochemical Transduction? *ACS Macro Lett.* **2016**, *5*, 177–180. (b) Schaefer, M.; Icli, B.; Weder, C.; Lattuada, M.; Kilbinger, A. F. M.; Simon, Y. C. The Role of Mass and Length in the Sonochemistry of Polymers. *Macromolecules* **2016**, *49*, 1630–1636.

Insert Table of Contents artwork here